

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	545	(vehicle with (multiple or plurality) with protocol)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2010/06/28 11:09
L3	46	(vehicle with (processor or ECU) with (multiple or plurality) with protocol)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2010/06/28 11:09
L4	13	(vehicle with (processor or ECU) with (multiple or plurality) with protocol) same (bus or (sub adj bus))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2010/06/28 11:09
L20	17	("4272790" "4887263" "5150363" "5533029" "5550825" "5592485"). PN. OR ("5859845"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/06/28 11:18
L21	4	20 and vehicle and protocol	US-PGPUB; USPAT; USOCR	OR	ON	2010/06/28 11:19
L24	6	"552453".ap.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2010/06/28 11:22
L30	5	"2002003781"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2010/06/28 12:05
L31	2	"20020003781"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2010/06/28 12:05
L32	39	(US-20030109987-\$ or US-20030095049-\$ or US-20030055942-\$ or US-20090102626-\$ or US-20020060625-\$ or US-20050143884-\$ or US-20040176935-\$ or US-20050080517-\$ or US-20100020816-\$ or US-20090138749-\$ or US-20040037313-\$ or US-20060208873-\$ or US-20060106514-\$ or US-	US-PGPUB; USPAT	OR	ON	2010/06/28 13:24

		20020003781-\$.did. or (US-6700795-\$ or US-6522935-\$ or US-6272135-\$ or US-6167061-\$ or US-5978352-\$ or US-5859845-\$ or US-6359554-\$ or US-6273771-\$ or US-7253566-\$ or US-5592485-\$ or US-5990573-\$ or US-5670845-\$ or US-5508689-\$ or US-5533029-\$ or US-6321148-\$ or US-6301508-\$ or US-5251211-\$ or US-5675189-\$ or US-6338010-\$ or US-5732074-\$ or US-6023232-\$ or US-7275027-\$ or US-6420797-\$ or US-5995512-\$ or US-5726638-\$).did.				
L33	3	32 and lin	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2010/06/28 13:24
L34	1595	(lin same vehicle)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2010/06/28 13:24
L35	349	(lin same vehicle) same protocol	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2010/06/28 13:24
L36	53	(lin same vehicle) same protocol same (processor or ecu)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2010/06/28 13:25
L37	12	lin with "iso 9141"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2010/06/28 13:31
L38	2	("2002/0003781").URPN.	USPAT	OR	ON	2010/06/28 14:15
L39	289106	YAZAKI.AS. OR (NAGASAWA OR OZAKI OR SHIMIZU).IN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2010/06/28 14:21
L40	11	39 AND vehicle and protocol and lin	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2010/06/28 14:21
S1	6	"552453".ap.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2008/11/24 15:46

S2	43762	yazaki.as.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2008/11/24 15:54
S3	45	S2 and protocol and vehicle	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2008/11/24 15:57
S4	9235	(vehicle same ((ECU or processor or microprocessor or controller) same ((can with bus) or "controlled area network" or bus)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2008/11/25 12:50
S5	932	(vehicle same ((ECU or processor or microprocessor or controller) same (((can with bus) or "controlled area network" or bus) same protocol)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2008/11/25 12:50
S6	0	S5 and (corner\$4 with light) and ((wiper or windshield wiper) with fluid)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2008/11/25 12:51
S7	5	S5 and (corner\$4 with light)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2008/11/25 12:51
S8	331	S5 and ((corner\$4 or turn \$4) with (light or signal \$4))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2008/11/25 12:51
S9	81	S5 and ((corner\$4 or turn \$4) with (light or signal \$4)) and (fluid with (amount or level))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2008/11/25 12:52
S10	5	S9 and (conver\$ with protocol)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2008/11/25 12:52
S11	1	S9 and (transduc\$ with protocol)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2008/11/25 12:54
S12	18	S5 and ((corner\$4 or turn \$4) with (light or signal \$4)) and (fluid with (amount or level)) not breed.in.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2008/11/25 12:55

S13	6	"875103".ap.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2008/11/25 12:59
S14	7	"975103".ap.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2008/11/25 12:59
S15	14	(US-20030109987-\$ or US-20030095049-\$).did. or (US-7102496-\$ or US-6994562-\$ or US-6747982-\$ or US-6700795-\$ or US-6665310-\$ or US-6522935-\$ or US-6272135-\$ or US-6167061-\$ or US-5978352-\$ or US-5859845-\$ or US-6359554-\$ or US-6273771-\$).did.	US-PGPUB; USPAT	OR	ON	2008/11/25 13:30
S16	3	S15 and ("load control" with connector)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2008/11/25 13:31
S17	6	"420021".ap.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2008/11/25 13:54
S18	6	"552453".ap.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2008/11/28 14:12
S19	418	(clearance with (lamp or light)) and (corner\$4 with (lamp or light))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2008/11/28 14:13
S20	167	S19 and vehide	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2008/11/28 14:13
S21	3	S20 and ecu	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2008/11/28 14:13
S22	21664	(corner\$4 with (lamp or light))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2008/11/28 14:14
S23	366	(corner\$4 with (lamp or light)) same (controller or ecu)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2008/11/28 14:15

S24	74	((corner\$4 with (lamp or light)) same (controller or ecu) same vehicle)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2008/11/28 14:15
S25	13	("4272790" "4887263" "5150363" "5533029" "5550825" "5592485"). PN. OR ("5859845"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/28 14:43
S26	8	S25 and protocol	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/28 14:43
S27	1	"4156151".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/28 14:44
S28	1	"5990573".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/28 14:44
S29	1	"6420979".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/28 14:45
S30	2	"20020065594"	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/28 14:45
S31	1	"5670845".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/28 14:45
S32	1	"5508689".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/28 14:46
S33	1	"6485155".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/28 14:46
S34	1	"10552453"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2009/06/23 16:19
S35	15	("4272790" "4887263" "5150363" "5533029" "5550825" "5592485"). PN. OR ("5859845"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/06/24 14:01
S36	9	S35 and ((bus or communicat\$4) with line)	US-PGPUB; USPAT; USOCR	OR	ON	2009/06/24 14:01
S37	5	S36 and protocol	US-PGPUB; USPAT; USOCR	OR	ON	2009/06/24 14:01
S38	3	"20030055942"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2009/06/24 14:02
S39	7	("4484258" "4510565" "4853888" "4855896" "5249115" "5438506"). PN. OR ("6522935"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/06/24 14:03

S40	9	("5079759" "5117421" "5251211" "5272699" "5375120").PN. OR ("5978352").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/06/24 14:04
S41	4	S40 and ((bus or communicat\$4) with line) and protocol	US-PGPUB; USPAT; USOCR	OR	ON	2009/06/24 14:04
S42	106343	yazaki.as. or (nagasawa or ozaki or shimzu).in.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2009/06/24 14:24
S43	11	S42 and ((bus or communicat\$4) with line) and protocol and vehicle and load	US-PGPUB; USPAT; USOCR	OR	ON	2009/06/24 14:25
S44	4	"3927752".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2009/06/24 17:28
S45	6095	(protocol same (multiplex \$4 or demultiplex\$4) same ((switch\$4 or convert\$4 or chang\$4 or alter\$4 or modify\$4 or convert\$4 or conversion) with protocol))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2010/01/04 11:23
S46	16	((protocol same (multiplex \$4 or demultiplex\$4) same ((switch\$4 or convert\$4 or chang\$4 or alter\$4 or modify\$4 or convert\$4 or conversion) with protocol)) same vehicle same (ECU or processor or controller))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2010/01/04 11:23
S47	2	"6608554".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2010/01/04 11:39
S48	2	"20020060625"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2010/01/04 11:39
S49	2	("2002/0060625").URPN.	USPAT	OR	ON	2010/01/04 12:28
S50	9	("5079759" "5117421" "5251211" "5272699" "5375120").PN. OR ("5978352").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/04 12:29
S51	4	S50 and protocol	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/04 12:29

S52	109026	yazaki.as. or (nagasawa or ozaki or shimzu).in.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2010/01/04 12:31
S53	39	S52 and "bus" and (vehicle with (controller or ecu or processor)) and load	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2010/01/04 12:32
S54	1	S53 and ((protocol same (multiplex\$4 or demultiplex \$4) same ((switch\$4 or convert\$4 or chang\$4 or alter\$4 or modify\$4 or convert\$4 or conversion) with protocol)) same vehicle same (ECU or processor or controller))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2010/01/04 12:32
S55	6	"552453".ap.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2010/06/24 15:00
S56	1239	((lin with (protocol or bus)) and (can with (protocol or bus))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2010/06/24 15:06
S57	376	((lin with (protocol or bus)) and ((controller with area with network) with (protocol or bus))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2010/06/24 15:08
S58	314	S57 and (vehide with control\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2010/06/24 15:09
S59	36	S58 and (((translat\$4 or convert\$4 or conversion) with protocol)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2010/06/24 15:09
S60	1708	((lin or "d2b" or media) with (protocol or bus)) and ((controller with area with network) with (protocol or bus))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2010/06/24 15:16
S61	349	S60 and (((translat\$4 or convert\$4 or conversion) with protocol)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2010/06/24 15:16
S62	90	S61 and (vehide with control\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2010/06/24 15:16

S63	1086	"9" and (((slow and fast) with (speed or rate)) with (transmit\$4 or transmission))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2010/06/24 15:17
S64	0	S62 and (((slow and fast) with (speed or rate)) with (transmit\$4 or transmission))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2010/06/24 15:17
S65	1708	((lin or "d2b" or "media") with (protocol or bus)) and ((controller with area with network) with (protocol or bus))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2010/06/24 15:19
S66	14183	((controller-area or "controller area" or van or flexray or lin or j1939 or iso or "media oriented" or d2b or keyword or dc-bus or idb or smartwirex or j1850 or j1708 or j1587 or spi or iic) with protocol	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2010/06/25 11:22
S67	823	((controller-area or "controller area" or van or flexray or lin or j1939 or iso or "media oriented" or d2b or keyword or dc-bus or idb or smartwirex or j1850 or j1708 or j1587 or spi or iic) with protocol) same ((convert\$4 or conversion or transform\$4 or transformation) same (command or input or signal or data))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2010/06/25 11:23
S68	142	S67 and (((high and low) with (speed or rate)) same protocol)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2010/06/25 11:24
S69	62	S68 and ((ECU or processor) with (intercommunicat\$4 or communicat\$4))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2010/06/25 11:25
S70	8073	((controller-area or "controller area" or van or flexray or lin or j1939 or iso or "media oriented" or d2b or keyword or dc-bus or idb or smartwirex or j1850 or j1708 or j1587 or spi or iic) with protocol) same (command or input or signal or data)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2010/06/25 11:37

S71	1486	S70 and (vehicle same (ecu or controller or processor))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2010/06/25 11:37
S72	63	S71 and (((high and low) with (speed or rate)) same protocol)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2010/06/25 11:37
S73	2	"6420797".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2010/06/25 11:42

6/ 28/ 2010 2:24:58 PM

C:\Documents and Settings\jdager\Desktop\patent searches\ nagasawa\ 1055245329june2010.
wsp